

Product Datasheet model uvex ultrasonic planet**المواصفات:**

نظارات واقية وظيفية بعدسة بانورامية مناسبة لمجموعة واسعة من الاستخدامات
حافة وجه ناعمة ومرنة تتكيف بشكل طبيعي مع أي شكل وجه
مساحة داخلية واسعة لاستيعاب النظارات الطبية وتضمن ملائمة مريحة
نظام تهوية غير مباشر يزيد من دوران الهواء
عصابة رأس قماشية قابلة لتعديل الطول لملائمة آمنة وقابلة تعديل فردية
عدسة متينة من البولي كربونات مع طلاء Supravision المثبت من uvex
تقنية مقاومة الضباب والخدوش الدائمة
UV400 - حماية 100% من الأشعة فوق البنفسجية الضارة حتى 400 نانومتر
خالية من المعادن

1. Product Characteristics

- functional safety goggle with panoramic lens suitable for a wide range of applications
- soft, flexible face seal naturally moulds to any facial shape
- generous internal volume to accommodate prescription spectacles and ensure a comfortable fit
- indirect ventilation system increases air circulation
- length-adjustable textile headband for a secure fit and individual adaptability
- robust polycarbonate lens with uvex's proven supravision coating technology – permanent anti-fog and scratch-resistant lens
- UV400 – 100 % protection against dangerous UV radiation up to 400 nm
- metal-free

2. Technical Details Body

Frame

	Material	Sustainability aspect
Material	PP	/
	TPE	proportionally post-consumer-recyclate
Version	indirect ventilation	
Colour	anthracite, jade	

Headband

	Material	Sustainability aspect
Material	textile	proportionally recycled material
	PC-PBT (headband hooks)	proportionally recycled PET
	PA (headband slider)	proportionally bio-based material
Features	individually adjustable	
Colour	anthracite, jade	

Marking

Manufacturer 's ID code	W
Applicable EN norm	166
Field of use	3 (drops and splashes of liquid) 4 (large dust particles)
Impact resistance	B (120 m/s)
Conformity symbol	CE

3. Technical Details Lens

Material	PC, mass balanced
Thickness	2.2 mm at PD
Coating	uvex supravision excellence
Colour	clear
UV protection	UV400
Marking	
Filter	2C-1.2 (EN 170)
Manufacturer 's ID code	W
Optical class	1
Impact resistance	B (120 m/s)
Scratch resistance	K
Antifog	N
Conformity symbol	CE
Factory symbol	



المتحدة لأنظمة السلامة والإطفاء

شارع سليمان النابلسي - العبدلي

077-6060806 06-4656244





Sales@safefire.jo

www.toolsandsafety.shop



4. Logistical Information

Product

Weight	83g		
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	89 x 181 x 81		
Length total (incl. Headband)	220 x 181 x 81		
	Packing unit 1	Packing unit 2	Packing unit 3
EAN Code	4066853001331		
Quantity in pcs.	1	4	72
Dimensions (L x W x H) in approx. mm	 picture only for reference		
	90 x 185 x 85	185 x 290 x 78	600 x 400 x 400
Net weight in approx. g	83	332	5,976
Gross weight in approx. g	101	500	9,900
Country of Origin	Germany		

5. Miscellaneous

Standards	EN 166 + EN 170
PPE Category	Category II